



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/807,643	03/23/2004	Aaron V. Kaplan	015471-000910US	3899

7590 02/15/2006

GERARD VON HOFFMANN, III, ESQ.
KNOBBE, MARTENS, OLSEN & BEAR LLP
2040 MAIN STREET,
14TH FLOOR
IRVINE, CA 92614

EXAMINER

GHERBI, SUZETTE JAIME J

ART UNIT PAPER NUMBER

3738

DATE MAILED: 02/15/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/807,643

Applicant(s)

KAPLAN ET AL

Examiner

Suzette J. Gherbi

Art Unit

3738

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 November 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 23-42 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 23-42 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>10/5/05</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Applicants amendment and remarks dated 11/28/05 has been received in application serial number 10/807,643. Claims 1-22 have been canceled.

Response to Arguments

2. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection due to the amendment of the claims.

Specification

3. The disclosure is objected to because of the following informalities: The term "OS" or "Ø" throughout the specification should be given a meaning for example "ostium or ostial". Applicant has done this for example in sections [0003] for acronyms such as PCI and DES but has not provided a meaning for the letters "OS". Appropriate correction is required.

Drawings

4. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4) because reference character "16" has been used to designate both petals and anchors in section [0035] of the specification. Corrected drawing sheets in compliance with 37

CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

6. Claim 42 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

7. Claim 42 recites the limitation "the deployed second stent". There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

9. Claims 23-24, 27-30, 32-41 are rejected under 35 U.S.C. 102(e) as being anticipated by Globerman 2005/0288769. Globerman discloses the invention as currently claimed noting figures 1a-12 comprising: A prosthesis for placement at an "os" opening from a main body lumen to a branch body lumen [0080] wherein the scaffold/first part of stent is radially expandable and has a first wall pattern i.e. "302, 1100" and at least two circumferential anchors/fingers extending axially from an end of the scaffold wherein the anchors/fingers are adapted to extend axially into and expandably circumscribe at least one-half of the main vessel (see figure 1d) when the scaffold is implanted in the branch lumen and wherein the prosthesis additionally has a second wall pattern that is different from the first wall pattern i.e. "304, 1104" wherein the second wall pattern permits the anchors/fingers to both bend and rotate relative to the prosthesis (see [0101 and 0107]).

Claim Rejections - 35 USC § 103

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 3738

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.


11 Claims 25-26 and 31 and 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Globerman in view of Stiger et al. 6589274, Globerman has been disclosed above however Globerman does not specify that the balloon has a radiopaque marker aligned with the scaffold. Stiger et al. teaches that marker 74 placed on balloons is well known. It would have been obvious to one having ordinary skill in the art at the time the invention was made to take the device of Globerman and utilize a balloon with a radiopaque marker in order to advance the prosthesis to the correct location.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Suzette J. Jackson whose work schedule is Monday-Friday 9-6:30 off every other Friday and whose telephone number is 571-272-4751.

The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0858.



Suzette J-J Gherbi
08 February 2006